


# Powr-Flite®

## Commercial Floor Machines



## The Professional Choice for Floor Care



17" or 20" – Provides Smooth Power at Start-Up Without the "Jerk" Found in Other Brand Floor Machines!

- 1 H.P. motor
- Safety lock-out feature
- 17" or 20"
- Dual steel planetary gear
- Rotational molded housing

Both the M171 and M201 offer 175 RPM that deliver aggressive cleaning power to the floor surface and keeps it there. With the power on the floor and not in the handle, this means less work for you and less strain on your back and arms. Scrub, clean, strip and buff with only one machine that has the power and ease you need.

These floor machines feature a 1 hp, 66 frame motor which is the largest available in the industry and stays running cool in our patented one-piece vented housing design.

M203 (300 RPM)  
 M173 (300 RPM)  
 M171SD (175 RPM)  
 M201 (175 RPM)  
 M171 (175 RPM)  
 P131 (175 RPM)  
 M201HD (175 RPM)  
 M171HD (175 RPM)  
 P172 (175/320 RPM)  
 M202 (175/320 RPM)

Floor Machine Specifications		M203	M173	M171SD	M201	M171	P131	M201HD	M171HD	P172	M202
Pad Diameter (will accept)	13 Inches Full Pad-to-Floor Contact						■				
	17 or 18 Inches Full Pad-to-Floor Contact		■	■		■		■	■		
	19 or 20 Inches Full Pad-to-Floor Contact	■			■			■		■	■
Motor	1-1/2 hp, UL Listed	■	■	■				■	■	■	■
	1/3 hp, UL Listed						■				
	1 hp, UL Listed				■	■					
Transmission	Dual Planetary Drive	■	■	■	■	■		■	■		
	Triple Planetary Drive									■	■
Power Cord	50 ft. UL Listed 14/3 STW-A	■	■	■	■	■		■	■	■	■
	50 ft. UL Listed 12/3 SJTW-A						■				
Base Housing	One Piece Vented, High Density Polyethylene	■	■	■	■	■	■	■	■	■	■
Handle Grips	Anti-Fatigue, Soft to the Touch	■	■	■	■	■	■	■	■	■	■
Cord Strain Relief	Heavy Duty Metal, Lock Nut and Spring	■	■	■	■	■	■	■	■	■	■
Handle Tube	All Chrome 1-1/2 Inch (Floating)	■	■	■	■	■	■	■	■	■	■
Handle Housing	Inner Case Hardened Steel, Positive Lock	■	■	■	■	■	■	■	■	■	■
Transport Wheels	5 Inch Non-Marking-Self Lubricating	■	■	■	■	■		■	■	■	■
	4 Inch Non-Marking-Self Lubricating						■				
Wiring	All Completely Enclosed in Housing	■	■	■	■	■	■	■	■	■	■
Circuit Breaker	Convenient, Switch Housing Mounted	■	■	■	■	■	■	■	■	■	■
Switch Housing	Non Conductive- Commercial Grade	■	■	■	■	■	■	■	■	■	■
Operation Control	Dual Lever On-Off Safety Switch	■	■	■	■	■	■	■	■	■	■
	Stress Absorbing. Left or Right Hand.										
Warranty	10 Yrs Housing, 5 Yrs. Motor, 3 Yrs Transmission	■	■	■	■	■	■	■	■	■	■
	1 Yr. On Parts & Our Workmanship										
Shipping Weight	lbs.	100	109	109	89	97	68	110	109	109	110

## Safety Features

One Piece Base and Motor Housing!



Non-Conductive Base & Motor Housings!



No Exposed Wires or Capacitors!



Safety lock-out feature!



## Performance Features

Dual or Triple Planetary All Steel Gears For Smooth Power Transfer!



Patented Design Keeps Motor Running COOL, and Provides a Longer Life! One-piece Motor Housing features easy access to the motor for cleaning and service.



Case Hardened Steel Handle Lock! Operate with Hand or Foot!



**Power-Flite**  
 COMMERCIAL FLOOR CARE EQUIPMENT

**WARRANTY-PLUS**  
**Power-Flite**  
 Value Assurance Package.

**10 YEARS** on One Piece Housing  
**5 YEARS** on UL Listed Motor  
**3 YEARS** on Gear Box Transmission  
**1 YEAR** on Parts & Our Workmanship

**NO CHARGE** for Parts or Labor on Warranty Repairs!